



GS2000

Achieve Superwide Productivity AND Photorealistic Quality without Compromise

EFI's VUTEK® GS2000 UV printer for rigid and roll-to-roll printing revolutionises superwide format printing, providing a solution for superior photorealistic quality and high productivity without compromises.

The VUTEK GS2000 from EFI™ extends your printing capabilities by offering a wider range of applications – from exhibition graphics, fine art, photographic reproduction and point-of-purchase displays to signage, banners, posters and commercial graphics. EFI's VUTEK GS2000 can be added as a complementary piece of equipment to increase current printing capacity with a larger range of direct to substrate printing or it can replace multiple, lower productivity printers, so you can be more profitable and productive than ever before.

VUTEK DNA makes your business more productive, profitable and successful by offering:

Photorealistic Quality

- True 1000 dpi for high-precision print quality.
- Twelve-picoliter droplet technology for all colours, including white.
- Advanced three-layering capabilities for High Definition Point-of-Purchase.
- Crisp four-point text.

Superwide Productivity

- Sellable, quality output at up to 185.8 m² (2000 ft²/hr).
- Continuous board-to-board, board-to-sheet and roll-to-roll printing.
- High production capacity in less floor space, allowing same-day Order-to-Delivery.

Uncompromised Versatility

- Eight-colour, white and Fast-5™ capabilities in one printer for photorealistic quality at production speeds.
- Dual resolution of 600 dpi (24pL) or 1000 dpi (12 pL) for superior graphics that set you ahead of your competition.
- Ready for roll-to-roll and rigid substrate capabilities.





GS2000

VUTEK GS2000

Features and Benefits

- Eight-colour plus white switchable to Fast-5™.
- Up to 185.8 m²/hour (2000 ft²/hour).
- Dual resolution: true600 dpi (24pL) or 1000 dpi (12 pL) selectable.
- High Definition Print (HDP).
- White printing capability allows printing white in six variations (overprint, underprint, spot, underspot, fill and overspot).
- Changeover to print on flexible from rigid substrates in less than one minute.
- Print directly to substrate – eliminates mounting and lamination of flexible materials for rigid application.
- Designed to complement continuous shifts and 24-hour production capability.
- 24 x 7 technical support.

Media/Handling

- Handles flexible or rigid substrates up to 203.2 cm (80") wide
- and up to 5.08 cm (2") thick.
- Optional Extension Table with casters for use attached to printer or as a workstation.
- Optional Small Depth Extension Table for use with small boards/panels and multiple fence stops.

Productivity

- Fast-5™ – 185.8 m² (2000 ft²) per hour.
- Eight-colour plus white – 92.9 m² (1000 ft²) per hour.

Environmental Considerations

- Compressed Air: 95 – 150 maximum at 0.11 cm/m (4 cf/m) — dry air only (not included).
- Temperature: 20° C to 30° C (68° F to 85° F).
- Humidity: 30% to 80% (non-condensing).
- Weight: 2675.0 kg (5885 lbs.).
- Height: 164.5 cm (64.75").
- Width: 513.08 cm (202").
- Depth: 165.1 cm (65"), 400.6 cm (157.7") with tables.
 - o + 12.7 cm (5") unwinder.
 - o + 12.7 cm (5") rewinder.
- Electrical: 3 phase, 60 amps (4 wire Delta or 5 wire Y), 200-240 VAC, 50/60 Hz.



cmYUK

T: +44 (0) 118 989 2929

W: www.cmyukdigital.com

Fiery XF RIP

- Optimised for use with the EFI Fiery® XF RIP.
- Advanced, easy-to-use, wizard-guided colour tools for consistent, predictable, high-quality colour.
- Powerful production tools include nesting, step and repeat, scaling, cropping and tiling.
- Advanced ICC colour management for reliable colour, quality output and proofing-quality colour.
- Scalable, versatile platform grows with your needs when your business grows.

Inks

- VUTEK inks are supplied in 5.0-liter containers.
- Available in cyan, magenta, yellow, black, light cyan, light magenta, light yellow, light black and white.

Enhanced Service Plans (ESP)

- EFI's industry-leading service and support program.
- Predictable up-time to maximise profitability.
- Thirteen months of Essential level coverage, providing you with 24-business hour (three-business day) response.
- Eligible for upgrade to:
 - Critical – Providing eight-business hour (one-business day) response.
 - ProActive – Providing 16-business hour (two-business day) response.



Superwide Format Solutions

EFI's portfolio of integrated solutions increases productivity and improves your bottom line. Find out more at www.efi.com.



EFIVUTEK Belgium
Ikaros Business Park
Ikaroslaan 9/11
B 1930 Zaventem, Belgium
+32 2 749 94 20 tel
+32 2 749 94 65 fax
www.efi.com

Auto-Count, Bliss, Changing the Way the World Prints, ColorWise, Command WorkStation, DocBuilder, DocBuilder Pro, DocStream, EDOX, EFI, Fiery, the Fiery logo, Fiery Driven, the Fiery Driven logo, OneFlow, PrinterSite, PrintFlow, PrintMe, PrintSmith Site, Prograph, Proteus, RIP-While-Print, Setting the Standard in Digital Printing, Ultravuv and VUTEK are registered trademarks of Electronics for Imaging, Inc. in the U.S. Patent and Trademark Office and/or certain other foreign jurisdictions. Bestcolor is a registered trademark of Electronics For Imaging GmbH in the U.S. Patent and Trademark Office. AutoCal, Balance, BioVu, BioWare, Build, ColorCal, Digital StoreFront, Estimate, Fiery Link, Fiery Prints, Fiery Spark, FreeForm, Hagen, Jettrion, Logic, MicroPress, PhotoXposure, Printcafe, PrintSmith, PSI, PSI Flexo, Remoteproof, RIPChips, Scan, Screenproof, SendMe, Splash, Spot-On, UltraTex, UV Series 50, VisualCal, WebTools, the EFI logo, the Fiery Prints logo and Essential to Print are trademarks of Electronics for Imaging, Inc. Best, the Best logo, Colorproof, PhotoXposure, Remoteproof, and Screenproof are trademarks of Electronics For Imaging GmbH. All other terms and product names may be trademarks or registered trademarks of their respective owners, and are hereby acknowledged.